

PRIMARY PACKET **Calculation Formulas**

CH 3 - Amount Conversions

Ounces to Pounds

Fluid Ounces to Gallons

Ounces \div 16 = Pounds Fluid Ounces ÷ 128 = Gallons

CH 3 - Surface Areas Rectangle / Square

• Circle

Length x Width = Square Feet (ft^2) $3.14 \times \text{Radius} \times \text{Radius} = \text{Sq. Feet (ft}^2$) $(Radius = Diameter \div 2)$

CH3 - Pool Volume

Rectangle

Length x Width x Average Depth x 7.5 = Gallonso (Average Depth = Shallow + Deep ÷ 2)

• (Circle)

 $3.14 \times Radius \times Radius \times Avg. Depth \times 7.5 = Gallons$

CH 3 Water Loss Formula

• Length x Width x .0833 x 7.5 = Gallons for 1inch

CH 6 Saturation Index

• pH +Temperature Factor +Calcium Factor +Alkalinity Factor -TDS Factor = SI

CH 7 Breakpoint Chlorination (Removal of Chloramines)

- Total Chlorine (TC) Free Chlorine (FC) = Combined Chlorine (CC)
- Combined Chlorine x 10 = Breakpoint Chlorination (BPC) Amount
- BPC FC = Desired Change in ppm

CH 10 Flow Rate & Turnover Rate

- Pool Volume ÷ Flow Rate ÷ 60 min/hr = Turn Over Rate in Hours
- Pool Volume ÷ Turn Over Rate ÷ 60 min/hr = Flow Rate in gpm

CH 11 Filter Sizing

- Flow Rate (FR) ÷ Filter Media Rate (FMR) = Filter Area (ft²) (FA)
- Flow Rate ÷ Filter Area = Filter Media Rate (gpm/ft²)
- Filter Area x Filter Media Rate = Flow Rate (gpm)

CH 12 Heater Sizing

 Pool Volume x 8.33 x Temperature Adjustment = BTU (Adjusted Temp - Starting Temp = Temp Adj.)

CH 13 Spa/Therapy Water Replacement Contaminant Prevention

 Spa Volume (Gallons) ÷ 3 ÷ Average Users Per Day = Complete Water Replacement(Days)